

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L25	14	24 NOT 18	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/17 08:21
L24	26	23 and @ad < "20030204"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/17 08:21
L23	54	22 AND ((CONTROL ADJ3 DEVICE) CPU)	US-PGPUB	OR	ON	2005/10/17 08:20
L18	202	17 and @ad < "20030204"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/17 08:20
L22	81	21 AND (CONSTANT ADJ3 SPEED)	US-PGPUB	OR	ON	2005/10/17 08:19
L21	856	20 and ((storage adj3 device) memory EPROM ROM PROM RAM)	US-PGPUB	OR	ON	2005/10/17 08:19
L20	2840	19 and motor	US-PGPUB	OR	ON	2005/10/17 08:18
L19	4495	carriage.clm.	US-PGPUB	OR	ON	2005/10/17 08:18
L3	83	2 and carriage	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/17 08:18
L17	220	16 and (memory ROM PROM EPROM EEPROM RAM)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/17 07:41
L13	62	12 and @ad < "20030204"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/17 07:41
L12	64	11 and (memory ROM PROM EPROM EEPROM RAM)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/17 07:41

L16	312	15 and carriage	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/17 07:40
L15	454	14 and (constant adj3 speed)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/17 07:40
L14	10163	347/14-37.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/17 07:40
L11	89	10 and carriage	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/17 07:40
L10	107	9 and (constant adj3 speed)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/17 07:40
L9	867	347/37.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/17 07:40
L8	55	7 and @ad < "20030204"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/17 07:40
L5	69	3 and (memory ROM PROM EPROM EEPROM RAM)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/17 07:39

L2	116	1 and (constant adj3 speed)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/17 07:39
L1	2096	347/19.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/17 07:39
L7	61	6 and motor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/17 07:38
L6	66	5 and (control\$2 CPU)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/17 07:37
L4	67	3 and memory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/17 07:37
S12 3	313	S122 and (constant adj3 speed)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/16 14:31
S12 2	3363	318/696.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/16 14:31
S11 9	59	S118 and (constant adj3 speed)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/16 14:31
S11 8	396	318/618.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/16 14:31

S12 1	27	S120 not S116	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/16 14:30
S12 0	27	S118 and carriage	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/16 14:29
S11 7	46	S115 and (constant adj3 speed)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/16 14:29
S11 6	10	S115 and carriage	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/16 14:29
S11 5	575	318/610.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/16 14:29
S98	24	S97 and "318"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/16 14:23
S11 4	28	S113 and ((plurality several many) adj3 parameter)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/16 14:13
S11 3	2015	motor and carriage and (storage memory RAM ROM EPROM) and ((control adj3 device) controller CPU) and (constant adj3 speed)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/16 14:13
S11 2	2	"20050073277"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/16 13:58
S11 1	55	S109 and (designed adj5 control)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/16 13:58

S11 0	0	S109 and (predesigned adj5 control)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/16 13:57
S10 9	4863	S108 and motor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/16 13:56
S10 8	17191	predetermined adj3 weight	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/16 13:56
S10 7	165	S106 and @ad < "20030204"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/14 15:19
S10 6	196	S105 and ((storage adj3 device) EPROM EEPROM RAM ROM)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/14 14:24
S10 5	465	S104 and (control adj3 (device unit) CPU)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/14 14:22
S10 4	1222	S103 and (constant adj speed)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/14 14:22
S10 3	22754	S102 and motor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/14 14:21
S10 2	35581	carriage.clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/14 14:21
S10 1	0	03-15911	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/13 13:42

S100	23	"0315911"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/13 13:42
S99	5	"3308656"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/13 13:41
S97	239	S96 and (motor near3 carriage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/13 11:31
S96	587	S94 not S95	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/13 11:30
S95	28	S93 and ((plurality several many) adj3 parameter)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/13 11:30
S94	615	S93 and parameter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/13 11:19
S93	2015	motor and carriage and (storage memory RAM ROM EPROM) and ((control adj3 device) controller CPU) and (constant adj3 speed)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/13 11:19
S92	43	S91 and @ad < "20030204"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/12 18:07
S81	195	S80 and @ad < "20030204"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/12 18:07
S91	59	S90 and pid	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/12 18:06

S90	993	S89 and (constant near3 speed)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/12 18:06
S89	1062	motor and carriage and (profile parameters) and (speed near3 (profile constant memorized)) and (memory (storage adj3 device) ROM RAM EPROM EPRAM)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/12 18:06
S88	2	S86 and S85 and motor and carriage and (profile parameters) and (speed near3 (profile constant memorized)) and (memory (storage adj3 device) ROM RAM EPROM EPRAM)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/12 18:06
S87	0	S86 and S85 and motor and carriage and temperature and (profile parameters) and (speed near3 (profile constant memorized)) and (memory (storage adj3 device) ROM RAM EPROM EPRAM)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/12 16:41
S80	238	motor and carriage and temperature and (profile parameters) and (speed adj3 (profile constant memorized))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/12 16:40
S86	11	("5748206").URPN.	USPAT	OR	ON	2005/10/12 16:39
S85	13	"5748206"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/12 16:35
S84	28	S83 and (PID PD PI)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/12 16:35
S83	63	S82 and ((storage adj3 device) ROM RAM EPROM EPRAM)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/12 16:22
S82	142	S81 and (constant adj3 speed)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/12 16:21